




Page 405-461

- Mallets
- Tempers, Chisels, Gouges
- Bone Holding Forceps
- Rongeurs
- Bone Cutting Forceps
- Meniscus Instruments
- Wire Extension
- Hand Drills, Awls
- Reamers
- Bone Biopsy Instruments
- Finger Nail Instruments




STEINMANN
ST-001
160 mm




BRAND
ST-002 - ST-004




ST-002
150 mm




ST-003
190 mm



ST-004
245 mm




ST-005 - ST-006




ST-005
210 mm




ST-006
205 mm




CARROLL
ST-007
115 mm




ST-008
115 mm




ST-009
150 mm




**KLEINERT-KUTZ
ST-010**
210 mm
Shaft Length
140 mm




ST-011
150 mm




ST-012
145 mm
Bone Holding
Forceps




Repositioning forceps,
for small fragments
ST-013
135 mm




HAASE
Repositioning forceps,
for mandibular
fractures
ST-014
165 mm




REILL
Repositioning forceps,
ST-015
170 mm



Repositioning forceps
ST-016
205 mm



MEYER
ST-017
Repositioning forceps
for fingers, with drill
guide for KIRSCHNER
wires up to diam. 1.0 mm
17 cm



LEWIN
ST-018
180 mm



PATELLA FORCEPS
ST-019
185 mm



Forceps with
ratchet fixation
ST-020
140 mm




ST-021
120 mm




SETTER
ST-022
135 mm




SETTER
ST-023
170 mm









SETTER
ST-024
235 mm




DINGMANN
ST-025
190 mm









ULRICH
ST-032 - ST-034
With thread Fixation



ST-032
230 mm




ST-033
250 mm




ST-034
280 mm




ULRICH
ST-035 - ST-037
With thread Fixation



ST-035
230 mm



ST-036
250 mm



ST-037
270 mm






FARABEUF
ST-038
230 mm



FARABEUF
ST-039
255 mm



FARABEUF-LAMBOTTE
ST-040
255 mm




 $\varnothing 20 \text{ mm}$
 $\frac{1}{2}$

ST-047
 MEAD
 185 g
 with interchangeable
 plastic disks
 190 mm
 pair of spare disks


 $\frac{1}{2}$


ST-048
 140 g
 with interchangeable
 plastic disks
 185 mm
ST-049
 pair of spare disks


 $\varnothing 25 \text{ mm}$
 $\frac{1}{2}$

ST-050
 COTTLE
 140 g
 1 Seite convex
 1 Side convex
 185 mm


 $\varnothing 22 \text{ mm}$
 $\frac{1}{2}$

ST-051
 165 g
 lead filled head
 190 mm





BERGMANN
ST-058
245 mm



BERGMANN
ST-059
235 mm



OMBREDANNE
ST-060
240 mm



HEATH
copper filled head
700 g
ST-061
185 mm



WILLIGER
ST-062 - ST-064
Lead Filled

ST-062

Weight Head
275 g Ø 26 mm

ST-063

Weight Head
320 g Ø 28 mm

ST-064

Weight Head
340 g Ø 30 mm



DOYEN
ST-065 - ST-067

ST-065

Weight Head
120 g Ø 25 mm

ST-066

Weight Head
180 g Ø 30 mm

ST-067

Weight Head
260 g Ø 35 mm


 $\frac{1}{2}$

PARTSCH
ST-068
 With Hollow Handle
 190 mm

Weight	Head
175 g	Ø27 mm








VIKERS
ST-069
 190 mm


Weight	Head
185 g	Ø25 mm




HERBERT
ST-070
 For Ulna Head Prosthesis
 190 mm

Weight	Head
215 g	Ø25 mm







ST-087
180 mm
6 mm




ST-088
180 mm
6 mm




ST-089
180 mm
3 mm




ST-090
180 mm
20 mm



ST-091
200 mm
14 mm




ST-092
190 mm
14 mm



ST-093 5 mm
ST-094 10 mm
ST-095 15 mm

1/2

LEXER
ST-093 - ST-095
245 mm



ST-096 5 mm
ST-097 10 mm
ST-098 15 mm

1/2


LEXER
ST-096 - ST-098
245 mm



ST-099 4 mm
ST-100 6 mm
ST-101 8 mm
ST-102 10 mm
ST-103 12 mm

1/2

LEXER-MINI
ST-099 - ST-103
180 mm




ST-104 10 mm
ST-105 15 mm


LEXER
ST-104 - ST-105
Gouges,
angled
275 mm



Chisel
ST-106
245 mm



Chisel
curved
ST-107
265 mm







ST-108 5.5 mm
ST-109 9 mm






ZIELKE
ST-108 - ST-109
Gouge for
scoliose-operations
230 mm



ST-110 - ST-113
270 mm



SYPERT
ST-114 - ST-121
380 mm






LANGENBECK
 ST-122 - ST-123



ST-122
 200 mm



ST-123
 200 mm



QUERVAIN
 ST-124
 200 mm



COBB
 ST-125 - ST-127



ST-125
 28 cm



ST-126
 280 mm



ST-127
 280 mm



ST-128 - ST-133
 ST-128 170 mm
 ST-129 170 mm
 ST-130 170 mm
 ST-131 170 mm
 ST-132 190 mm
 ST-133 190 mm



ST-134
3 mm
ST-135
5 mm
ST-136
6 mm
ST-137
8 mm
ST-138
9 mm

HOKE
ST-134 - ST-138
170 mm



ST-139
6 mm
ST-140
13 mm
ST-141
19 mm
ST-142
25 mm
ST-143
32 mm

HIBBS
ST-139 - ST-143
245 mm



ST-144
6 mm
ST-145
13 mm
ST-146
19 mm
ST-147
25 mm
ST-148
32 mm

HIBBS
ST-144 - ST-148
245 mm



SMITH-PETERSEN
ST-149 - ST-155
205 mm



ST-149
6 mm
ST-150
9 mm
ST-151
13 mm
ST-152
16 mm
ST-153
19 mm
ST-154
25 mm
ST-155
32 mm



SMITH-PETERSEN
ST-156 - ST-162
205 mm



ST-156
6 mm
ST-157
9 mm
ST-158
13 mm
ST-159
16 mm
ST-160
19 mm
ST-161
25 mm
ST-162
32 mm



SMITH-PETERSEN
ST-163 - ST-166
205 mm








ST-163
9 mm
ST-164
14 mm
ST-165
19 mm
ST-166
25 mm



SMITH-PETERSEN
ST-167 - ST-170
205 mm




ST-167
9 mm
ST-168
14 mm
ST-169
19 mm
ST-170
25 mm






Haase
ST-201
100 mm



PASSOW
ST-202 - ST-203
120 mm




FREER
Chisel
ST-204
160 mm



FREER
Chisel, curved
ST-205
160 mm



FREER
Gouge
ST-206
150 mm



Scaphoid gouge,
downwards curved
ST-207
135 mm



Scaphoid gouge,
upwards curved
ST-208
135 mm




Mannerfelt
ST-209 - ST-211
ST-209 4 mm
ST-210 6 mm
ST-211 8 mm
155 mm







ST-212
Mannerfelt
155 mm



ST-213 - ST-217
Osteotome
140 mm




ST-218 - ST-222
Chisels
140 mm




ST-223 - ST-227
Gouges
140 mm




PARTSCH
ST-228 - ST-231
CHISELS
140 mm




PARTSCH
ST-232 - ST-236
Chisels
170 mm




PARTSCH
ST-237 - ST-240
Gouges
140 mm




PARTSCH
ST-241 - ST-245
Gouges
170 mm




LUCAS
ST-246 - ST-247
Chisels
160 mm




LUCAS
ST-248 - ST-249
Gouges
160 mm




ALEXANDER
ST-250 - ST-253
Gouges
170 mm



LAMBOTTE
ST-254 - ST-259
Osteotome
125 mm




COTTLE
ST-260 - ST-264
Osteotome with depth
markings
180 mm




COTTLE
ST-265 - ST-268
Chisel-Osteotomes
with depth markings
180 mm




COTTLE
ST-269
Fishtail Chisel,
with protected ends
180 mm




STILLE
ST-270 - ST-274
Chisels
205 mm




STILLE
ST-275 - ST-279
Gouges
205 mm




WALTER
ST-280 - ST-281
Osteotomes gouges for taking
grafts from the rib
205 mm




STILLE
ST-282 - ST-286
Osteotomes
205 mm




STILLE
ST-287 - ST-291
Osteotomes
205 mm



STILLE
ST-292 - ST-296
Osteotomes, curved
205 mm



LAMBOTTE
ST-297 - ST-308
Osteotomes
245 mm



LAMBOTTE
ST-309 - ST-314
Osteotomes, curved
245 mm



ST-315 4 mm
ST-316 6 mm
ST-317 8 mm
ST-318 10 mm
ST-319 12 mm

LEXER-MINI
ST-315 - ST-319
Osteotomes
180 mm



ST-320 4 mm
ST-321 6 mm
ST-322 8 mm
ST-323 10 mm
ST-324 12 mm

LEXER-MINI
ST-320 - ST-324
Gouges
180 mm



ST-325 5 mm
ST-326 7 mm
ST-327 10 mm
ST-328 15 mm
ST-339 20 mm
ST-330 25 mm
ST-331 30 mm

LEXER
ST-325 - ST-331
Osteotomes
220 mm



ST-332 5 mm
ST-333 7 mm
ST-334 10 mm
ST-335 15 mm
ST-336 20 mm
ST-337 25 mm
ST-338 30 mm

LEXER
ST-332 - ST-338
Gouges
220 mm




LEXER
ST-339
Gouge for removing broken
screws
220 mm



ST-340 5,5 mm
ST-341 9,0 mm

ZIELKE
ST-340 - ST-341
Gouge for
scoliose-operations
230 mm




LEXER
ST-342 - ST-343
Osteotomes,
angled
275 mm

LEXER
ST-344 - ST-345
Gouges,
angled
275 mm

ST-346
Chisel
245 mm


ST-347
Chisel, curved
265 mm





ST-351 - ST-355


ST-351 145 mm
ST-352 190 mm
ST-353 240 mm
ST-354 260 mm
ST-355 280 mm



ST-351
for small
fragments


ST-352
Fig: 0

ST-353
Fig: 1




Self-centering forceps
with thread fixation

ST-354
Fig: 2



ST-355
Fig: 3



ST-356
Fig: 1

ST-357
Fig: 2


ST-358
Fig: 3

ST-356 - ST-358
VERBRUGGE
with lip joint


255 mm
265 mm
270 mm




ST-359
LAMBOTTE
265 mm




ST-360 - ST-361
LOWMAN
ST-360 170 mm
ST-361 205 mm




ST-362
LOWMAN-GERSTER
210 mm




ST-363
LOWMAN-HOGLUND
175 mm




ST-364 - ST-365
Synovectomy rongeur
width of jaws 1.2 mm
130 mm




ST-366 - ST-367
Synovectomy rongeur
width of jaws 2.0 mm
130 mm




ST-368
STELLBRINK
Synovectomy rongeur
175 mm



ST-369
STELLBRINK
Synovectomy rongeur
170 mm




ST-370
LURE-FRIEDMANN
145 mm




ST-371
140 mm




ST-372
LURE
150 mm




ST-373
LURE
155 mm




ST-374
BLUMENTHAL
155 mm




ST-375
BLUMENTHAL
150 mm




ST-376 - ST-377
JANSEN
175 mm




ST-378
BANE-HARTMANN
175 mm




ST-379
ALEXANDER
140 mm




ST-380
JANSEN
190 mm




ST-381 - ST-382
LEMPERT
200 mm






ST-383
BEYER
180 mm




ST-384
MEAD
165 mm




ST-385
MEAD
165 mm






$\frac{1}{2}$ **ST-394**
RUSKIN
190 mm




$\frac{1}{2}$ **ST-395**
ROTTGEN-RUSKIN
240 mm




$\frac{1}{2}$ **ST-396 - ST-397**
ECHLIN
230 mm







$\frac{1}{2}$ **ST-398**
STILLE
235 mm






$\frac{1}{2}$ **ST-399**
LEKSELL-STILLE
240mm




$\frac{1}{2}$ **ST-400**
STILLE-RUSKIN
240mm









ST-415
LISTON
curved on flat
240 mm




ST-416
LISTON
straight
280 mm











ST-417
LISTON
curved on flat
280 mm




ST-418
LISTON-STILLE
265 mm



ST-419
LISTON-KEY-HORSLEY
(TUDOR EDWARDS)
255 mm






ST-428
130 mm



ST-429
180 mm




Extraction pliers
for boring wires
ST-428 - ST-429




Flat-nosed pliers,
parallel
ST-430
185 mm



Vise grip
ST-431
200 mm



Round pliers
ST-432 - ST-436
180 mm



ST-432



ST-433



ST-434




ST-435




ST-436


ST-433
ST-434 14.5 cm
ST-435 18 cm
ST-436 18 cm
Extraction pliers for wires




Bending pliers
for wires up to
1.8 mm diam
ST-437




**BOHLER
ST-438**
145 mm



**RUSKIN-LISTON
ST-439**
190 mm



**RUSKIN-LISTON
ST-440**
190 mm



ST-441
180 mm

for soft wire
up to diam. 2,0 mm
For hard wire 1,5 mm
up to diam
specially hardened
cutting edges, front
and lateral cutting
action




REILL
ST-442
175 mm

for soft wire
up to diam. 2,0 mm
For hard wire 1,6 mm
up to diam
specially hardened
cutting edges, for
cutting off wires close
to the bone



ST-443
235 mm

for soft wire
up to diam. 3,0 mm
For hard wire 2,2 mm
up to diam



ST-444
240 mm

for soft wire
up to diam. 2 mm
For hard wire
up to diam. 1.6 mm

ST-445
140 mm

for soft wire
up to diam. 1.5 mm
For hard wire
up to diam. 1 mm

ST-446
145 mm

for soft wire
up to diam. 2 mm
For hard wire
up to diam. 1.5 mm

ST-447
220 mm

for soft wire
up to diam. 3.5 mm
For hard wire
up to diam. 2.5 mm



ST-448
320 mm

for soft wire
up to diam. 3 mm
For hard wire
up to diam. 3 mm

Cutter for cutting off
KIRSCHNER wires,
Tibia head screws,
bolts, pins, up to 3 mm diam.



Durotip

ST-449
Cutter for cutting off
KIRSCHNER wires,
Tibia head screws,
bolts, pins, up to 6 mm diam.
470 mm



FISCHER
ST-450
310 mm
Blunt



 $\frac{1}{4}$


ST-451
285 mm


 $\frac{1}{4}$


BUNNELL
ST-452
230 mm
Tendon Passer


 $\frac{1}{4}$



**KIRSCHNER
ST-453 - ST-459**
Wire traction bows,
to be used with
KIRSCHNER-wires
up to 2.5 mm diam.,
With 3 hooks,
stainless steel

ST-453
ST-454
ST-455
ST-456
ST-457
ST-458
ST-459

Inside dimensions
width

200 mm
155 mm
135 mm
120 mm
105 mm
95 mm
95 mm

Depth

155 mm
155 mm
130 mm
120 mm
100 mm
110 mm
70 mm



ST-460
Wrench, double - ended,
for wire traction bows



ST-461
Wire tightener, with
clamping jaws




ST-462
Traction hook only,
large size




ST-463
Traction hook only,
small size




ST-464
Fixation clamp, to secure clamping
jaws of stainless steel




ST-465
Wire traction bow, adjustable,
with 3 hooks, small size



ST-466
Wire traction bow, adjustable,
with 3 hooks, large size



ST-467
Wire traction bow, adjustable,
with 3 hooks, large size for
elbow and calcaneus, for
adolescents



KIRSCHNER
ST-470 - ST-475
Wire traction bow, modified
adjustable in width, holds wire
securely, with 1 hook

ST-470 10 cm
ST-471 16 cm
ST-472 20 cm

ST-473 1.6 mm
ST-474 2 mm
ST-475 2.5 mm



ST-468
Fixation disc, slotted




ST-469
idem, aluminum, transparent
to X-rays



ST-476
Fixation disc, slotted



ST-477
Screw driver, for above
fixations discs




ST-478 - ST-485
Screw driver, for above
fixations discs

Steinmann pins, 4 mm daim.		Steinmann pins, 5 mm daim.	
ST-478	with pin	16x9cm	Arm
ST-479	without pin	ST-480-00	without
ST-481	with pin	21x11cm	Arm
ST-482	without pin	ST-483	without
ST-484	with pin	21x15cm	Arm
ST-485	without pin		



ST-486
SCHWARZ
Traction bow for fingers,
to be used with KIRSCHNER-
wire up to 1.6 mm diam.



ST-487
Small distractor
as a repositioning device for
distraction and compression of small bones,
for wires with 3 mm diam.



STEINMANN
ST-488 - ST-500
 triangular shaft ended
 and trocar point

Length	4 mm	5 mm
80 mm	ST-488	
100 mm	ST-489	
120 mm	ST-490	
140 mm	ST-491	
150 mm	ST-492	ST-493
160 mm	ST-494	
180 mm	ST-495	ST-496
200 mm	ST-497	ST-498
210 mm	ST-499	
250 mm	ST-500	ST-501
300 mm		ST-502



ST-503
 Protection cap
 for 4 mm STEINMANN Pins



ST-504
 Protection cap
 for 5 mm STEINMANN Pins



**REILL
ST-505**
Drilling chuck,
cannulated,
for shanks from
2.0 - 2.5 mm diam
115 mm




ST-506
Drilling chuck,
cannulated,
for shanks from
0.8 - 2.0 mm diam
150 mm




ST-507
Drilling chuck,
cannulated,
for shanks up to
4.5 mm diam
with key
140 mm




**LOUTE
ST-508**
Wire tightener, improved pattern,
with movable tip,
for wires up to 1.0 mm diam.
220 mm




ST-509
Drilling chuck, cannulated,
for shanks up to 6.35 mm diam.,
To be tightened by hand
100 mm



ST-510
Drilling chuck, cannulated,
for shanks up to 4.5 mm diam.,
And for triangular shaft width
across flats 4.7 mm




ST-511
Drilling chuck, cannulated,
for shanks up to 6.35 mm diam.,
With key
160 mm



ST-512
Nail extracting
forceps
135 mm




1/4



ST-513
Nail extracting
forceps
145 mm



1/4



1/4



MARTIN-IDEAL
ST-514 - ST-516
Finger nail drill
with 3 points



1/4

ST-514



ST-515




ST-516


Drill points only



ST-517
Nail splitting
forceps
135 mm



1/4




SYSTRUNK
ST-518
Scissors, for splitting
finger nails
130 mm



ST-519
Finger ring saw
150 mm



Spare blade




**DUROGRIP
ST-520**
Holding forceps for cerclage
wire, with lateral jaws to avoid
wire slipping off
170 mm




**DUROGRIP
ST-521**
Wire, tightening pliers,
Ligature pliers
150 mm



**DUROGRIP
ST-522**
Wire, tightening pliers,
Ligature pliers
150 mm



ST-523
with serrated jaws
140 mm




ST-524
one jaws smooth,
one jaws serrated
140 mm



ST-525
with serrated jaws
ST-526
with longitudinal and
transversal grooves
170 mm



ST-527
190 mm



Durotip

ST-528

Cutter for cutting off
KIRSCHNER wires,
Tibia head screws,
bolts, pins, up to 6 mm diam.
47 cm



ST-529
For Soft Wire $\varnothing$ cm 3.5
For Hars Wire $\varnothing$ cm 2.5
22 cm



ST-530
For Soft Wire $\varnothing$ cm 2.0
For Hars Wire $\varnothing$ cm 1.5
22 cm



ST-531
For Soft Wire $\varnothing$ cm 2.0
For Hars Wire $\varnothing$ cm 1.6
18 cm



ST-532
17 cm